1994 ANNUAL INDEXES

Textile Research Journal

Volume 64

AUTHOR AND TITLE INDEX, pp. 776–781

MONTH	PAGES
January	1–60
February	61–122
March	123–184
April	185–246
May	247–308
June	309–370

SUBJECT INDEX, pp. 782-790

MONTH	PAGES
July	371–432
August	433–494
September	495–556
October	557–618
November	619–696
December	697–790

AUTHOR AND TITLE INDEX

Acar, M. Effects of Geometry on the Flow Characteristics and Texturing Performance of Air-Jet Texturing Nozzles (*Versteeg, Bilgin*) 240

Adolphe, D. Experimental Study of Flow Through Geotextiles (*Lopes, Sigli*) 176

Ajayi, Joseph O. An Attachment to the Constant Rate of Elongation Tester for Estimating Surface Irregularities of Fabrics 475

Alagha, M. J. Influence of Production Speed on the Tenacity and Structure of Friction Spun Yarns (*Oxenham, Iype*) 185

Allen, D. B. Tissue Softness Evaluation by Mechanical Stylus Scanning (*Rust, Keadle, Shalev, Barker*) 163

Alston, P. V. Pilling of Sweatshirts That Are a 50/50 Blend of Polyester and Cotton 592

Amirshahi, S. H. Applying the Kubelka-Munk Equation to Explain the Color of Blends Prepared from Precolored Fibers (*Pailthorpe*) 357

Anandjiwala, R. D. Reply to "Comments on 'Tensile Fatigue Behavior of Staple Yarns' " (*Goswami*) 491

Andrews, B. A. Kottes Thermoanalytical Study of Durable Press Reactant Levels on Cotton Fabrics Part I: Nonformaldehyde Polycarboxylic Acids (*Trask-Morrell*) 729

Asvadi, Sima An Analysis of Fabric Large Strain Shear Behavior Using Linear Viscoelasticity Theory (*Postle*) 208

Backer, S. Mechanistic Role of Yarn and Fabric Structure in Determining Tear Resistance of Woven Cloth Part I: Understanding Tongue Tear (*Scelzo, Boyce*) 291
Part II: Modeling Tongue Tear (*Scelzo, Boyce*) 321

Bao, Xulei Simulating Textile Padding with Vacuum Extraction Part I: Influence of Process Variables Under Ideal Conditions (*Broadbent*) 230
Part II: Perturbations of the Bath Concentration (*Broadbent, Hamoudi, Kong*) 262

Baoyu, Zhu Influence of Production Speed on the Characteristics of Hollow Spindle Fancy Yarns (*Oxenham*) 380

Barella, A. Comments on "Tensile Fatigue Behavior of Staple Yarns" 491
Further Comments on "Lint Cleaning Effect on Seed-Coat Fragment Size Distribution in Cotton" 431

Barker, Roger L. Heat and Moisture Transfer Through Nonwoven Fabrics Part I: Heat Transfer (*Woo, Shalev*) 149
Part II: Moisture Diffusivity (*Woo, Shalev*) 190

Barker, R. L. Tissue Softness Evaluation by Mechanical Stylus Scanning (*Rust, Keadle, Allen, Shalev*) 163

Bertoniere, Noelie R. Effect of Catalyst on the Pore Structure and Performance of Cotton Cellulose Crosslinked with Butanetetracarboxylic Acid (*King, Welch*) 247

Bilgin, S. Effects of Geometry on the Flow Characteristics and Texturing Performance of Air-Jet Texturing Nozzles (*Versteeg, Acar*) 240

Boyce, M. C. Mechanistic Role of Yarn and Fabric Structure in Determining Tear Resistance of Woven Cloth Part I: Understanding Tongue Tear (*Scelzo, Backer*) 291
Part II: Modeling Tongue Tear (*Scelzo, Backer*) 321

Boyd, Catherine R. Effect of Bacterial and Chemical Retting on Kenaf Fiber Quality (*Ramaswamy, Ruff*) 305

Breen, David E. A Particle-Based Model for Simulating the Draping Behavior of Woven Cloth (*House, Wozny*) 663

Broadbent, Arthur D. Pre-drying Textile Fabrics with Infrared Radiation (*Coté, Fecteau, Khatibi-Sarabi, Thérien*) 123
Simulating Textile Padding with Vacuum Extraction Part I: Influence of Process Variables Under Ideal Conditions (*Bao*) 230
Part II: Perturbations of the Bath Concentration (*Bao, Hamoudi, Kong*) 262

Buschmann, Hans-Jürgen Dyeing Natural Fibers with Disperse Dyes in Supercritical Carbon Dioxide (*Gebert, Saus, Knittel, Schollmeyer*) 371

Buschle-Diller, G. Enzymatic Hydrolysis of Cotton, Linen, Ramie, and Viscose Rayon Fabrics (*Zeronian, Pan, Yoon*) 270

Cai, Zhong Characterizing the Leakage Flow of Braided Fiber Seals (*Mutharasan, Ko, Steinetz*) 1
Parametric Study of Leakage Flow in Braided Fiber Seals (*Mutharasan, Ko, Steinetz*) 280

Carr, C. M. Activated Hydrogen Peroxide Bleaching of Wool (*Karunditu, Dodd, Mallison, Fleet, Tetler*) 570

Carrión-Fité, F. J. Dynamic Wetting of Nylon 66 Using Aqueous Solutions of Anionic, Nonionic, and Mixed Surfactants 49

Cauthen, Debra A. Determining Cotton Fiber Maturity by Image Analysis Part I: Direct Measurement of Cotton Fiber Characteristics (*Matic-Leigh*) 534

1994 ANNUAL INDEXES

Textile Research Journal

Volume 64

AUTHOR AND TITLE INDEX, pp. 776–781

MONTH	PAGES
January	1–60
February	61–122
March	123–184
April	185–246
May	247–308
June	309–370

SUBJECT INDEX, pp. 782-790

MONTH	PAGES
July	371–432
August	433–494
September	495–556
October	557–618
November	619–696
December	697–790

AUTHOR AND TITLE INDEX

Acar, M. Effects of Geometry on the Flow Characteristics and Texturing Performance of Air-Jet Texturing Nozzles (*Versteeg, Bilgin*) 240

Adolphe, D. Experimental Study of Flow Through Geotextiles (*Lopes, Sigli*) 176

Ajayi, Joseph O. An Attachment to the Constant Rate of Elongation Tester for Estimating Surface Irregularities of Fabrics 475

Alagha, M. J. Influence of Production Speed on the Tenacity and Structure of Friction Spun Yarns (*Oxenham, Iype*) 185

Allen, D. B. Tissue Softness Evaluation by Mechanical Stylus Scanning (*Rust, Keadle, Shalev, Barker*) 163

Alston, P. V. Pilling of Sweatshirts That Are a 50/50 Blend of Polyester and Cotton 592

Amirshahi, S. H. Applying the Kubelka-Munk Equation to Explain the Color of Blends Prepared from Precolored Fibers (*Pailthorpe*) 357

Anandjiwala, R. D. Reply to "Comments on 'Tensile Fatigue Behavior of Staple Yarns' " (*Goswami*) 491

Andrews, B. A. Kottes Thermoanalytical Study of Durable Press Reactant Levels on Cotton Fabrics Part I: Nonformaldehyde Polycarboxylic Acids (*Trask-Morrell*) 729

Asvadi, Sima An Analysis of Fabric Large Strain Shear Behavior Using Linear Viscoelasticity Theory (*Postle*) 208

Backer, S. Mechanistic Role of Yarn and Fabric Structure in Determining Tear Resistance of Woven Cloth Part I: Understanding Tongue Tear (*Scelzo, Boyce*) 291
Part II: Modeling Tongue Tear (*Scelzo, Boyce*) 321

Bao, Xulei Simulating Textile Padding with Vacuum Extraction Part I: Influence of Process Variables Under Ideal Conditions (*Broadbent*) 230
Part II: Perturbations of the Bath Concentration (*Broadbent, Hamoudi, Kong*) 262

Baoyu, Zhu Influence of Production Speed on the Characteristics of Hollow Spindle Fancy Yarns (*Oxenham*) 380

Barella, A. Comments on "Tensile Fatigue Behavior of Staple Yarns" 491
Further Comments on "Lint Cleaning Effect on Seed-Coat Fragment Size Distribution in Cotton" 431

Barker, Roger L. Heat and Moisture Transfer Through Nonwoven Fabrics Part I: Heat Transfer (*Woo, Shalev*) 149
Part II: Moisture Diffusivity (*Woo, Shalev*) 190

Barker, R. L. Tissue Softness Evaluation by Mechanical Stylus Scanning (*Rust, Keadle, Allen, Shalev*) 163

Bertoniere, Noelie R. Effect of Catalyst on the Pore Structure and Performance of Cotton Cellulose Crosslinked with Butanetetracarboxylic Acid (*King, Welch*) 247

Bilgin, S. Effects of Geometry on the Flow Characteristics and Texturing Performance of Air-Jet Texturing Nozzles (*Versteeg, Acar*) 240

Boyce, M. C. Mechanistic Role of Yarn and Fabric Structure in Determining Tear Resistance of Woven Cloth Part I: Understanding Tongue Tear (*Scelzo, Backer*) 291
Part II: Modeling Tongue Tear (*Scelzo, Backer*) 321

Boyd, Catherine R. Effect of Bacterial and Chemical Retting on Kenaf Fiber Quality (*Ramaswamy, Ruff*) 305

Breen, David E. A Particle-Based Model for Simulating the Draping Behavior of Woven Cloth (*House, Wozny*) 663

Broadbent, Arthur D. Pre-drying Textile Fabrics with Infrared Radiation (*Coté, Fecteau, Khatibi-Sarabi, Thérien*) 123
Simulating Textile Padding with Vacuum Extraction Part I: Influence of Process Variables Under Ideal Conditions (*Bao*) 230
Part II: Perturbations of the Bath Concentration (*Bao, Hamoudi, Kong*) 262

Buschmann, Hans-Jürgen Dyeing Natural Fibers with Disperse Dyes in Supercritical Carbon Dioxide (*Gebert, Saus, Knittel, Schollmeyer*) 371

Buschle-Diller, G. Enzymatic Hydrolysis of Cotton, Linen, Ramie, and Viscose Rayon Fabrics (*Zeronian, Pan, Yoon*) 270

Cai, Zhong Characterizing the Leakage Flow of Braided Fiber Seals (*Mutharasan, Ko, Steinetz*) 1
Parametric Study of Leakage Flow in Braided Fiber Seals (*Mutharasan, Ko, Steinetz*) 280

Carr, C. M. Activated Hydrogen Peroxide Bleaching of Wool (*Karunditu, Dodd, Mallison, Fleet, Tetler*) 570

Carrión-Fité, F. J. Dynamic Wetting of Nylon 66 Using Aqueous Solutions of Anionic, Nonionic, and Mixed Surfactants 49

Cauthen, Debra A. Determining Cotton Fiber Maturity by Image Analysis Part I: Direct Measurement of Cotton Fiber Characteristics (*Matic-Leigh*) 534

Chen, Cheng-Chi Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part IV: Crosslinking of Normal Length Mercerized Fabrics (*Chen*) 142
Chen, Jui-Chin Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part IV: Crosslinking of Normal Length Mercerized Fabrics (*Chen*) 142
Cheng, Kwok Po Stephen Commingling Self-Twist Yarn with Filaments (*Miao, How*) 563
The Role of False Twist in Wrap Spinning (*Miao, How*) 41
Cherkassky, Arkady A Two-Dimensional Mathematical Model of the Carding Process 169
Choi, Hyung-Min Nonphosphorus Catalysts for Formaldehyde-Free DP Finishing of Cotton with 1,2,3,4-Butanetetracarboxylic Acid Part II: Sodium Salts of Fumaric, Maleic, and Itaconic Acids (*Welch, Morris*) .. 501
Coté, Benoit Pre-drying Textile Fabrics with Infrared Radiation (*Broadbent, Fecteau, Khatibi-Sarabi, Thérien*) 123

Dawson, R. M. Filling Patterning with a Replicate Color: Reduced Minimax Movement Due to Edge Redundancy 765
de Jong, S. Changes in Fabric Mechanical Properties After Pressure Decatizing as Measured by FAST (*Le, Tester, Ly*) 61
de la Maza, A. Unilamellar Lipid Bilayers as Vehicles for Azo Disperse Dyes on Wool (*Parra*) 255
den Engelsen, C. W. Foamability of Silica Suspensions in a Rotor-Stator Mixer (*Gooijer, Wassink*) 626
Denning, R. J. Reaction of Wool with Permonosulfate and Related Oxidants (*Freeland, Guise, Hudson*) 413
Reply to "Comments on 'Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry' " (*Ward, Willis, George, Guise, Evans, Short*) 493
Djiev, Stantcho N. Modeling a Double-Zone Drafter as an Object of Control 449
Dodd, K. Activated Hydrogen Peroxide Bleaching of Wool (*Karunditu, Carr, Mallison, Fleet, Tetler*) 570

Ellis, Danielle R. Stickiness Potential of Individual Insect Honeydew Carbohydrates on Cotton Lint (*Miller, Peralta, Perkins*) 344
El Mogahzy, Yehia E. Theory of Soil/Geotextile Interaction (*Gowayed, Elton*) 744
El-Shiekh, Aly Mechanics of Woven Fabrics Part IV: Critical Review of Fabric Degree of Tightness and Its Applications (*Seyam*) 653
Elton, David Theory of Soil/Geotextile Interaction (*El Mogahzy, Gowayed*) 744
Erra, P. Effect of Quaternized Amphiphilic Peptides on Pilling and Electrostatic Discharge of Wool Fabrics (*Gómez, Juliá, Naik*) 648
Etters, J. N. Sorption of Disperse Dye by Polyester Fibers: Boundary Layer Transitional Kinetics 406
Evans, D. J. Reply to "Comments on 'Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry' " (*Ward, Willis, George, Guise, Denning, Short*) 493

Falkner, A. H. Bar Design for Length Compensation in Textile Winding 351
Fecteau, Teresa Pre-drying Textile Fabrics with Infrared Radiation (*Broadbent, Coté, Khatibi-Sarabi, Thérien*) 123
Feughelman, M. A Model for the Mechanical Properties of the α-Keratin Cortex 236
Fleet, I. A. Activated Hydrogen Peroxide Bleaching of Wool (*Karunditu, Carr, Dodd, Mallison, Tetler*) 570
Freeland, G. N. Reaction of Wool with Permonosulfate and Related Oxidants (*Denning, Guise, Hudson*) 413
Freeman, Harold S. Ir. diation of CI Disperse Yellow 23 and Disperse Orange 29 in an Ester Environment (*McIntosh*) 309
Synthetic Dyes Based on Environmental Considerations Part I: Iron Complexes for Protein and Polyamide Fibers (*Sokolowska-Gajada, Reife*) 388
Frydrych, Iwona Strength Properties of Cotton Blend Yarns 198
Fujii, Tomiko Novel Fluoroalkylation of Polyester Surfaces: Grafting with Perfluoroalkanoyl Peroxides (*Kawase, Minagawa, Sawada, Nakayama*) 375

Garcia, J. E. Effects of Dyeing and Finishing on Hygral Expansion and Other Crimp-Dependent Physical Properties of Wool Fabrics (*Pailthorpe, Postle*) 466
Gebert, Beate Dyeing Natural Fibers with Disperse Dyes in Supercritical Carbon Dioxide (*Saus, Knittel, Buschmann, Schollmeyer*) 371
George, G. A. Reply to "Comments on 'Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry' " (*Ward, Willis, Guise, Denning, Evans, Short*) 493
Ghali, K. Experimental Techniques for Measuring Parameters Describing Wetting and Wicking in Fabrics (*Jones, Tracy*) 106
Gómez, N. Effect of Quaternized Amphiphilic Peptides on Pilling and Electrostatic Discharge of Wool Fabrics (*Juliá, Erra, Naik*) 648
Gooijer, H. Foamability of Silica Suspensions in a Rotor-Stator Mixer (*den Engelsen, Wassink*) 626
Goswami, B. C. Reply to "Comments on 'Tensile Fatigue Behavior of Staple Yarns' " (*Anandjiwala*) 491
Govender, Penny Preparing Cotton Nonwoven Fabrics at Low Temperatures Using Hydrogen Peroxide Activated with Sodium Persulphate (*Letcher, Lutseke*) 761
Gowayed, Yasser Theory of Soil/Geotextile Interaction (*El Mogahzy, Elton*) 744
Grosberg, P. Predicting End Breakage Rates in Worsted Spinning Part II: A New Model for End Break Prediction (*Huang, Oxenham*) 717
Guelpa, E. Goniophotometric Assessment of Bulk-Related "Optical" Carpet Streaks in Finished Nylon Carpets (*Miller, Southern*) 633
Guise, G. B. Reaction of Wool with Permonosulfate and Related Oxidants (*Denning, Freeland, Hudson*) 413
Reply to "Comments on 'Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry' " (*Ward, Willis, George, Denning, Evans, Short*) 493
Gutierrez, Hector M. Mathematical Modeling and Simulation for Carding (*Rust*) 573

Haarer, Jutta New Reactive Auxiliaries for Dye-Resist Treatment of Wool 480
New Reactive Auxiliaries for the Dye-Resist Treatment of Wool: Part II (*Höcker*) 578
Hamoudi, Safia Simulating Textile Padding with Vacuum Extraction Part II: Perturbations of the Bath Concentration (*Broadbent, Bao, Kong*) 262
Höcker, Hartwig Covalently Linked Fatty Acids at the Surface of Wool: Part of the "Cuticle Cell Envelope" (*Zahn, Messinger*) 554
New Reactive Auxiliaries for Dye-Resist Treatment of Wool (*Haarer*) 480
New Reactive Auxiliaries for the Dye-Resist Treatment of Wool: Part II (*Haarer*) 578

Holt, Leo A. Active Ingredients of Stain-Resist Compounds (*Kelson*) ... 775
Hornby, S. B. Wicking of Spin Finishes and Related Liquids into Continuous Filament Yarns (*Kamath, Weigmann, Wilde*) ... 33
House, Donald H. A Particle-Based Model for Simulating the Draping Behavior of Woven Cloth (*Breen, Wozny*) 663
How, Yan Lai Commingling Self-Twist Yarn with Filaments (*Miao, Cheng*) ... 563
The Role of False Twist in Wrap Spinning (*Miao, Cheng*) 41
Hsieh, Y.-L. Reply to "Comments on 'Liquid Wetting, Transport, and Retention Properties of Fibrous Assemblies' " ... 57
Wetting Contact Angle Derivations of Cotton Assemblies with Varying Perimeters ... 552
Huang, X. C. Predicting End Breakage Rates in Worsted Spinning Part I: Measuring Dynamic Yarn Strength and Tension (*Oxenham*) ... 619
Part II: A New Model for End Break Prediction (*Oxenham, Grosberg*) ... 717
Hudson, A. H. Reaction of Wool with Permonosulfate and Related Oxidants (*Denning, Freeland, Guise*) ... 413

Igarashi, T. Cellulase Treatment of Cotton Fabrics (*Koo, Ueda, Wakida, Yoshimura*) ... 70
Ishida, Minoru Flow Characteristics of the Main Nozzle in an Air-Jet Loom Part I: Measuring Flow in the Main Nozzle (*Okajima*) ... 10
Part II: Measuring High Speed Jet Flows from the Main Nozzle and Weft Drag Forces (*Okajima*) ... 88
Ito, Hiraku Physical Properties of Wool Treated with Multifunctional Epoxides (*Muraoka, Umehara, Shibata, Miyamoto*) ... 514
Shrink-Resistant Properties and Surface Characteristics of Wool Fibers Treated with Multifunctional Epoxides (*Muraoka, Umehara, Shibata, Miyamoto*) ... 440
Itoh, Motoyoshi A Modified Theory of Fiber Contact in General Fiber Assemblies (*Komori*) ... 519
Iype, C. Influence of Production Speed on the Tenacity and Structure of Friction Spun Yarns (*Alagha, Oxenham*) 185

Jasper, Warren J. Reply to "Comments on 'Using Neural Networks to Predict Dye Concentrations in Multiple-Dye Mixtures' " ... 184
Using Neural Networks and NIR Spectrophotometry to Identify Fibers (*Kovacs*) ... 444
Javadpour, S. A New Carpet Wear Simulator (*Pourdeyhimi, Ramanathan*) ... 528
Jermini, M. Characterizing Oxidatively Damaged Cotton Fabrics Part I: A Method for Estimating Relative Fabric Damage (*Kokot*) ... 100
Part II: A Model for the Catalytic Damage Phenomenon Using Electrogenerated Oxygen (*Kokot, Marahusin, Schweinsberg*) ... 710
Jones, B. Experimental Techniques for Measuring Parameters Describing Wetting and Wicking in Fabrics (*Ghali, Tracy*) ... 106
Juliá, R. Effect of Quaternized Amphiphilic Peptides on Pilling and Electrostatic Discharge of Wool Fabrics (*Gómez, Erra, Naik*) ... 648

Kamath, Y. K. Wicking of Spin Finishes and Related Liquids into Continuous Filament Yarns (*Hornby, Weigmann, Wilde*) ... 33
Karunditu, A. W. Activated Hydrogen Peroxide Bleaching of Wool (*Carr, Dodd, Mallison, Fleet, Tetler*) ... 570
Kawabata, Sueo Objective Hand Measurement of Nonwoven Fabrics Part I: Development of the Equations (*Niwa, Wang*) ... 597
Kawase, Tokuzo Novel Fluoroalkylation of Polyester Surfaces: Grafting with Perfluoroalkanoyl Peroxides (*Fujii, Minagawa, Sawada, Nakayama*) ... 375
Keadle, T. L. Tissue Softness Evaluation by Mechanical Stylus Scanning (*Rust, Allen, Shalev, Barker*) ... 163
Kelson, Jennie S. Active Ingredients of Stain-Resist Compounds (*Holt*) ... 775
Kenins, P. Influence of Fiber Type and Moisture on Measured Fabric-to-Skin Friction ... 722
Khatibi-Sarabi, Pantea Pre-drying Textile Fabrics with Infrared Radiation (*Broadbent, Coté, Fecteau, Thérien*) 123
Kim, Jong J. Crystallization Kinetics of Nylon 6 (*Seo*) ... 427
Kim, J. O. Dynamic Moisture Vapor Transfer Through Textiles Part II: Further Techniques for Microclimate Moisture and Temperature Measurement (*Spivak*) 112
King, Walter D. Effect of Catalyst on the Pore Structure and Performance of Cotton Cellulose Crosslinked with Butanetetracarboxylic Acid (*Bertoniere, Welch*) ... 247
Knittel, Dierk Dyeing Natural Fibers with Disperse Dyes in Supercritical Carbon Dioxide (*Gebert, Saus, Buschmann, Schollmeyer*) ... 371
Ko, Frank Characterizing the Leakage Flow of Braided Fiber Seals (*Cai, Mutharasan, Steinetz*) ... 1
Parametric Study of Leakage Flow in Braided Fiber Seals (*Cai, Mutharasan, Steinetz*) ... 280
Kobsa, H. Modeling the Dependence of Fabric Reflectance on Denier per Filament (*Rubin, Shearer*) ... 685
Koella, E. IV Carding Fiber Load Measurement (*Rust*) ... 364
Kokot, S. Characterizing Oxidatively Damaged Cotton Fabrics Part I: A Method for Estimating Relative Fabric Damage (*Jermini*) ... 100
Part II: A Model for the Catalytic Damage Phenomenon Using Electrogenerated Oxygen (*Marahusin, Schweinsberg, Jermini*) ... 710
Komori, Takashi A Modified Theory of Fiber Contact in General Fiber Assemblies (*Itoh*) ... 519
Kong, Xiaoxing Simulating Textile Padding with Vacuum Extraction Part II: Perturbations of the Bath Concentration (*Broadbent, Bao, Hamoudi*) ... 262
Koo, H. Cellulase Treatment of Cotton Fabrics (*Ueda, Wakida, Yoshimura, Igarashi*) ... 70
Part II: Inhibitory Effect of Surfactants on Cellulase Catalytic Reaction (*Ueda, Wakida, Yoshimura*) ... 615
Kovacs, Eva T. Using Neural Networks and NIR Spectrophotometry to Identify Fibers (*Jasper*) ... 444
Kveder, Sonja Malej Dynamic Mechanical Properties, Superstructure, and Texturability of PA 6.6 Partially Oriented Yarns (*Rijavec*) ... 495

Le, C. V. Changes in Fabric Mechanical Properties After Pressure Decatizing as Measured by FAST (*Tester, Ly, de Jong*) ... 61
Letcher, Trevor M. Preparing Cotton Nonwoven Fabrics at Low Temperatures Using Hydrogen Peroxide Activated with Sodium Persulphate (*Govender, Lutseke*) ... 761
Li, Shiqi An Unusual Application of a Usual Crosslinking Agent—Dyeing Trimethylolmelamine Pretreated Cotton Without Added Salt (*Yang*) ... 433
Lloyd, David W. Measuring the Twisting Rigidity of Woven Fabrics (*Mori*) ... 397
Lopes, M. Experimental Study of Flow Through Geotextiles (*Adolphe, Sigli*) ... 176
Lutseke, Sazi Preparing Cotton Nonwoven Fabrics at Low Temperatures Using Hydrogen Peroxide Activated with Sodium Persulphate (*Letcher, Govender*) ... 761

Ly, N. G. Changes in Fabric Mechanical Properties After Pressure Decatizing as Measured by FAST (*Le, Tester, de Jong*) 61

Mallison, P. Activated Hydrogen Peroxide Bleaching of Wool (*Karunditu, Carr, Dodd, Fleet, Tetler*) 570
Marahusin, L. Characterizing Oxidatively Damaged Cotton Fabrics Part II: A Model for the Catalytic Damage Phenomenon Using Electrogenerated Oxygen (*Kokot, Schweinsberg, Jermini*) 710
Matic-Leigh, Rose Determining Cotton Fiber Maturity by Image Analysis Part I: Direct Measurement of Cotton Fiber Characteristics (*Cauthen*) 534
Matsumoto, Y. Spectral Analysis of the Stick-Slip Motion of Dynamic Friction in the Fabric Surface (*Ravandi, Toriumi*) 224
McGregor, Ralph Perception, Detection, and Diagnosis of Appearance Defects in Fabrics (*Mershon, Pastore*) .. 584
McIntosh, Stanley A. Irradiation of CI Disperse Yellow 23 and Disperse Orange 29 in an Ester Environment (*Freeman*) 309
Mershon, Donald H. Perception, Detection, and Diagnosis of Appearance Defects in Fabrics (*McGregor, Pastore*) 584
Messinger, H. Covalently Linked Fatty Acids at the Surface of Wool: Part of the "Cuticle Cell Envelope" (*Zahn, Höcker*) 554
Miao, Menghe Commingling Self-Twist Yarn with Filaments (*How, Cheng*) 563
The Role of False Twist in Wrap Spinning (*How, Cheng*) 41
Miller, Bernard Comments on "Liquid Wetting, Transport, and Retention Properties of Fibrous Assemblies" (*Tyomkin*) 55
Miller, R. W. Goniophotometric Assessment of Bulk-Related "Optical" Carpet Streaks in Finished Nylon Carpets (*Guelpa, Southern*) 633
Influence of Suessen and Superba Heat Setting on Optical Streak Intensity in Finished Nylon Carpets 75
Miller, William B. Stickiness Potential of Individual Insect Honeydew Carbohydrates on Cotton Lint (*Peralta, Ellis, Perkins*) 344
Minagawa, Motoi Novel Fluoroalkylation of Polyester Surfaces: Grafting with Perfluoroalkanoyl Peroxides (*Kawase, Fujii, Sawada, Nakayama*) 375
Miyama, Masayo Dynamic Water Vapor and Heat Transport Through Layered Fabrics Part III: Surface Temperature Change (*Yasuda, Muramoto, Yasuda*) 457
Miyamoto, Takeaki Physical Properties of Wool Treated with Multifunctional Epoxides (*Muraoka, Ito, Umehara, Shibata*) 514
Shrink-Resistant Properties and Surface Characteristics of Wool Fibers Treated with Multifunctional Epoxides (*Ito, Muraoka, Umehara, Shibata*) 440
Mizushima, Haruo Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Flurocarbon Resin (*Sato, Wakida, Tokino, Niu, Ueda, Takekoshi*) 316
Mori, Toshio Measuring the Twisting Rigidity of Woven Fabrics (*Lloyd*) 397
Morris, Nancy M. Nonphosphorus Catalysts for Formaldehyde-Free DP Finishing of Cotton with 1,2,3,4-Butanetetracarboxylic Acid Part II: Sodium Salts of Fumaric, Maleic, and Itaconic Acids (*Choi, Welch*) 501
Mortimer, S. A. A Device for On-Line Measurement of Fiber Birefringence (*Peguy*) 544
Muramoto, Akiko Dynamic Water Vapor and Heat Transport Through Layered Fabrics Part III: Surface Temperature Change (*Yasuda, Miyama, Yasuda*) 457
Muraoka, Yoichiro Physical Properties of Wool Treated with Multifunctional Epoxides (*Ito, Umehara, Shibata, Miyamoto*) 514
Shrink-Resistant Properties and Surface Characteristics of Wool Fibers Treated with Multifunctional Epoxides (*Ito, Umehara, Shibata, Miyamoto*) 440
Mutharasan, Rajakkannu Characterizing the Leakage Flow of Braided Fiber Seals (*Cai, Ko, Steinetz*) 1
Parametric Study of Leakage Flow in Braided Fiber Seals (*Cai, Ko, Steinetz*) 280

Naik, A. Effect of Quaternized Amphiphilic Peptides on Pilling and Electrostatic Discharge of Wool Fabrics (*Gómez, Juliá, Erra*) 648
Nakayama, Masaharu Novel Fluoroalkylation of Polyester Surfaces: Grafting with Perfluoroalkanoyl Peroxides (*Kawase, Fujii, Minagawa, Sawada*) 375
Nayernouri, A. Evaluating Carpet Appearance Loss: Pile Lay Orientation (*Pourdeyhimi, Xu*) 130
Niu, Shouhua Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Flurocarbon Resin (*Sato, Wakida, Tokino, Ueda, Mizushima, Takekoshi*) 316
Niwa, Masako Objective Hand Measurement of Nonwoven Fabrics Part I: Development of the Equations (*Kawabata, Wang*) 597

Obendorf, S. K. Pretreatments for Improving the Dyeability of *p*-Aramid Fibers (*Yoo, Ravichandran*) 423
Okajima, Atsushi Flow Characteristics of the Main Nozzle in an Air-Jet Loom Part I: Measuring Flow in the Main Nozzle (*Ishida*) 10
Part II: Measuring High Speed Jet Flows from the Main Nozzle and Weft Drag Forces (*Ishida*) 88
Oxenham, W. Influence of Production Speed on the Tenacity and Structure of Friction Spun Yarns (*Alagha, Iype*) 185
Influence of Production Speed on the Characteristics of Hollow Spindle Fancy Yarns (*Baoyu*) 380
Predicting End Breakage Rates in Worsted Spinning Part I: Measuring Dynamic Yarn Strength and Tension (*Huang*) 619
Part II: A New Model for End Break Prediction (*Huang, Grosberg*) 717

Pailthorpe, M. T. Applying the Kubelka-Munk Equation to Explain the Color of Blends Prepared from Precolored Fibers (*Amirshahi*) 357
Effects of Dyeing and Finishing on Hygral Expansion and Other Crimp-Dependent Physical Properties of Wool Fabrics (*Garcia, Postle*) 466
Pan, Ning Author's Corrections 370
Enzymatic Hydrolysis of Cotton, Linen, Ramie, and Viscose Rayon Fabrics (*Buschle-Diller, Zeronian, Yoon*) 270
Parra, J. L. Unilamellar Lipid Bilayers as Vehicles for Azo Disperse Dyes on Wool (*de la Maza*) 255
Pastore, Christopher M. Perception, Detection, and Diagnosis of Appearance Defects in Fabrics (*McGregor, Mershon*) 584
Patel, Suneer Vipin Modeling the Bending Stiffness of Point Bonded Nonwoven Fabrics (*Warner*) 507
Peguy, A. A. A Device for On-Line Measurement of Fiber Birefringence (*Mortimer*) 544
Peralta, Estela Stickiness Potential of Individual Insect Honeydew Carbohydrates on Cotton Lint (*Miller, Ellis, Perkins*) 344
Perkins, Henry H., Jr. Stickiness Potential of Individual Insect Honeydew Carbohydrates on Cotton Lint (*Miller, Peralta, Ellis*) 344
Postle, Ron An Analysis of Fabric Large Strain Shear Behavior Using Linear Viscoelasticity Theory (*Asvadi*) 208

Effects of Dyeing and Finishing on Hygral Expansion and Other Crimp-Dependent Physical Properties of Wool Fabrics (*Garcia, Pailthorpe*) ... 466
Pourdeyhimi, B. A New Carpet Wear Simulator (*Ramanathan, Javadpour*) ... 528
Evaluating Carpet Appearance Loss: Color Change ... 485
Evaluating Carpet Appearance Loss: Periodicity and Tuft Placement (*Xu, Wehrle*) ... 21
Evaluating Carpet Appearance Loss: Pile Lay Orientation (*Xu, Nayernouri*) ... 130
Evaluating Maturity of Cotton Fibers Using Image Analysis: Definition and Algorithm (*Xu*) ... 330
Pynckels, F. Comments on "Using Neural Networks to Predict Dye Concentrations in Multiple-Dye Mixtures" (*Vangheluwe, Sette*) ... 182

Ramanathan, R. A New Carpet Wear Simulator (*Pourdeyhimi, Javadpour*) ... 528
Ramaswamy, Gita N. Effect of Bacterial and Chemical Retting on Kenaf Fiber Quality (*Ruff, Boyd*) ... 305
Ramey, Harmon H., Jr. Relationship Between Cotton Fiber Strength and Cellulose Molecular Weight Distribution: HVI Calibration Standards (*Timpa*) ... 557
Rankin, Douglas A. Comments on "Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry" ... 492
Ravandi, S. A. Hosseini Spectral Analysis of the Stick-Slip Motion of Dynamic Friction in the Fabric Surface (*Toriumi, Matsumoto*) ... 224
Ravichandran, V. Pretreatments for Improving the Dyeability of *p*-Aramid Fibers (*Yoo, Obendorf*) ... 423
Realff, Mary Lynn Identifying Local Deformation Phenomena During Woven Fabric Uniaxial Tensile Loading 135
Reife, Abraham Synthetic Dyes Based on Environmental Considerations Part I: Iron Complexes for Protein and Polyamide Fibers (*Sokolowska-Gajda, Freeman*) ... 388
Rijavec, Tatjana Dynamic Mechanical Properties, Superstructure, and Texturability of PA 6.6 Partially Oriented Yarns (*Kveder*) ... 495
Roberts, W. W., Jr. Straightening of Crimped and Hooked Fibers in Converging Transport Ducts: Computational Modeling (*Smith*) ... 335
Rubin, B. Modeling the Dependence of Fabric Reflectance on Denier per Filament (*Kobsa, Shearer*) ... 685
Ruff, Cynthia G. Effect of Bacterial and Chemical Retting on Kenaf Fiber Quality (*Ramaswamy, Boyd*) ... 305
Rust, Jon P. Carding Fiber Load Measurement (*Koella*) .. 364
Mathematical Modeling and Simulation for Carding (*Gutierrez*) ... 573
Tissue Softness Evaluation by Mechanical Stylus Scanning (*Keadle, Allen, Shalev, Barker*) ... 163

Sato, Yukihiro Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Flurocarbon Resin (*Wakida, Tokino, Niu, Ueda, Mizushima, Takekoshi*) ... 316
Saus, Wolfgang Dyeing Natural Fibers with Disperse Dyes in Supercritical Carbon Dioxide (*Gebert, Knittel, Buschmann, Schollmeyer*) ... 371
Sawada, Hideo Novel Fluoroalkylation of Polyester Surfaces: Grafting with Perfluoroalkanoyl Peroxides (*Kawase, Fujii, Minagawa, Nakayama*) ... 375
Scelzo, W. A. Mechanistic Role of Yarn and Fabric Structure in Determining Tear Resistance of Woven Cloth Part I: Understanding Tongue Tear (*Backer, Boyce*) 291
Part II: Modeling Tongue Tear (*Backer, Boyce*) ... 321
Schmidt, H. High Pressure Differential Scanning Calorimetry and Wet Bundle Tensile Strength of Weathered Wool (*Wortmann*) ... 690
Schollmeyer, Eckhard Dyeing Natural Fibers with Disperse Dyes in Supercritical Carbon Dioxide (*Gebert, Saus, Knittel, Buschmann*) ... 371
Schweinsberg, D. P. Characterizing Oxidatively Damaged Cotton Fabrics Part II: A Model for the Catalytic Damage Phenomenon Using Electrogenerated Oxygen (*Kokot, Marahusin, Jermini*) ... 710
Seo, S. W. Crystallization Kinetics of Nylon 6 (*Kim*) 427
Sette, S. Comments on "Using Neural Networks to Predict Dye Concentrations in Multiple-Dye Mixtures" (*Vangheluwe, Pynckels*) ... 182
Seyam, A. Mechanics of Woven Fabrics Part IV: Critical Review of Fabric Degree of Tightness and Its Applications (*El-Shiekh*) ... 653
Shalev, Itzhak Heat and Moisture Transfer Through Nonwoven Fabrics Part I: Heat Transfer (*Woo, Barker*) 149
Part II: Moisture Diffusivity (*Woo, Barker*) ... 190
Tissue Softness Evaluation by Mechanical Stylus Scanning (*Rust, Keadle, Allen, Barker*) ... 163
Shearer, S. M. Modeling the Dependence of Fabric Reflectance on Denier per Filament (*Rubin, Kobsa*) ... 685
Shibata, Yutaka Physical Properties of Wool Treated with Multifunctional Epoxides (*Muraoka, Ito, Umehara, Miyamoto*) ... 514
Shrink-Resistant Properties and Surface Characteristics of Wool Fibers Treated with Multifunctional Epoxides (*Ito, Muraoka, Umehara, Miyamoto*) ... 440
Short, R. D. Reply to "Comments on 'Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry' " (*Ward, Willis, George, Guise, Denning, Evans*) ... 493
Sigli, D. Experimental Study of Flow Through Geotextiles (*Adolphe, Lopes*) ... 176
Smith, A. C. Straightening of Crimped and Hooked Fibers in Converging Transport Ducts: Computational Modeling (*Roberts*) ... 335
Sokolowska-Gajda, Jolanta Synthetic Dyes Based on Environmental Considerations Part I: Iron Complexes for Protein and Polyamide Fibers (*Freeman, Reife*) 388
Southern, J. H. Goniophotometric Assessment of Bulk-Related "Optical" Carpet Streaks in Finished Nylon Carpets (*Miller, Guelpa*) ... 633
Spivak, S. M. Dynamic Moisture Vapor Transfer Through Textiles Part II: Further Techniques for Microclimate Moisture and Temperature Measurement (*Kim*) ... 112
Steinetz, Bruce M. Characterizing the Leakage Flow of Braided Fiber Seals (*Cai, Mutharasan, Ko*) ... 1
Parametric Study of Leakage Flow in Braided Fiber Seals (*Cai, Mutharasan, Ko*) ... 280

Takekoshi, Shoji Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Flurocarbon Resin (*Sato, Wakida, Tokino, Niu, Ueda, Mizushima*) 316
Tester, D. H. Changes in Fabric Mechanical Properties After Pressure Decatizing as Measured by FAST (*Le, Ly, de Jong*) ... 61
Tetler, L. W. Activated Hydrogen Peroxide Bleaching of Wool (*Karunditu, Carr, Dodd, Mallison, Fleet*) ... 570
Thérien, Normand Pre-drying Textile Fabrics with Infrared Radiation (*Broadbent, Coté, Fecteau, Khatibi-Sarabi*) 123
Timpa, Judy D. Relationship Between Cotton Fiber Strength and Cellulose Molecular Weight Distribution: HVI Calibration Standards (*Ramey*) ... 557
Tokino, Seiji Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Flurocarbon Resin (*Sato, Wakida, Niu, Ueda, Mizushima, Takekoshi*) 316
Toriumi, K. Spectral Analysis of the Stick-Slip Motion of Dynamic Friction in the Fabric Surface (*Hosseini, Matsumoto*) ... 224

Tracy, J. Experimental Techniques for Measuring Parameters Describing Wetting and Wicking in Fabrics (*Ghali, Jones*) 106
Trask-Morrell, Brenda Thermoanalytical Study of Durable Press Reactant Levels on Cotton Fabrics Part I: Nonformaldehyde Polycarboxylic Acids (*Andrews*) 729
Tsai, Jin-Shy Effect of Nitrogen Atmosphere on the Structure and Properties of a PAN-Based Carbon Fiber 772
Influence of Spinneret Dimensions on Modacrylic Fiber Properties 611
Tyomkin, Ilya Comments on "Liquid Wetting, Transport, and Retention Properties of Fibrous Assemblies" (*Miller*) 55

Ueda, Mitsuo Cellulase Treatment of Cotton Fabrics (*Koo, Wakida, Yoshimura, Igarashi*) 70
Part II: Inhibitory Effect of Surfactants on Cellulase Catalytic Reaction (*Koo, Wakida, Yoshimura*) 615
Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Flurocarbon Resin (*Sato, Wakida, Tokino, Niu, Mizushima, Takekoshi*) 316
Ukponmwan, Joshua Osayande Compressibility Analysis of Dry Abraded Woven Fabrics 756
Umehara, Ryo Physical Properties of Wool Treated with Multifunctional Epoxides (*Muraoka, Ito, Shibata, Miyamoto*) 514
Shrink-Resistant Properties and Surface Characteristics of Wool Fibers Treated with Multifunctional Epoxides (*Ito, Muraoka, Shibata, Miyamoto*) 440

Vangheluwe, L. Comments on "Using Neural Networks to Predict Dye Concentrations in Multiple-Dye Mixtures" (*Sette, Pynckels*) 182
Versteeg, H. K. Effects of Geometry on the Flow Characteristics and Texturing Performance of Air-Jet Texturing Nozzles (*Bilgin, Acar*) 240

Wakida, T. Cellulase Treatment of Cotton Fabrics (*Koo, Ueda, Yoshimura, Igarashi*) 70
Part II: Inhibitory Effect of Surfactants on Cellulase Catalytic Reaction (*Ueda, Koo, Yoshimura*) 615
Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Flurocarbon Resin (*Sato, Tokino, Niu, Ueda, Mizushima, Takekoshi*) 316
Wang, Fumei Objective Hand Measurement of Nonwoven Fabrics Part I: Development of the Equations (*Kawabata, Niwa*) 597
Wang, J. A New Method for Measuring Carpet Texture Change (*Wood*) 215
Ward, R. J. Reply to "Comments on 'Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry' " (*Willis, George, Guise, Denning, Evans, Short*) 493
Warner, Steven B. Modeling the Bending Stiffness of Point Bonded Nonwoven Fabrics (*Patel*) 507
Wassink, J. Groot Foamability of Silica Suspensions in a Rotor-Stator Mixer (*den Engelsen, Gooijer*) 626
Wehrle, L. Evaluating Carpet Appearance Loss: Periodicity and Tuft Placement (*Pourdeyhimi, Xu*) 21
Weigmann, H.-D. Wicking of Spin Finishes and Related Liquids into Continuous Filament Yarns (*Kamath, Hornby, Wilde*) 33
Welch, Clark M. Effect of Catalyst on the Pore Structure and Performance of Cotton Cellulose Crosslinked with Butanetetracarboxylic Acid (*Bertoniere, King*) 247
Nonphosphorus Catalysts for Formaldehyde-Free DP Finishing of Cotton with 1,2,3,4-Butanetetracarboxylic Acid Part II: Sodium Salts of Fumaric, Maleic, and Itaconic Acids (*Choi, Morris*) 501
Wilde, M. F. Wicking of Spin Finishes and Related Liquids into Continuous Filament Yarns (*Kamath, Hornby, Weigmann*) 33
Willis, H. A. Reply to "Comments on 'Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry' " (*Ward, George, Guise, Denning, Evans, Short*) 493
Woo, Sang S. Heat and Moisture Transfer Through Nonwoven Fabrics Part I: Heat Transfer (*Shalev, Barker*) 149
Part II: Moisture Diffusivity (*Shalev, Barker*) 190
Wood, E. J. A New Method for Measuring Carpet Texture Change (*Wang*) 215
Wortmann, F.-J. High Pressure Differential Scanning Calorimetry and Wet Bundle Tensile Strength of Weathered Wool (*Schmidt*) 690
The Stress/Strain Curve of α-Keratin Fibers and the Structure of the Intermediate Filament (*Zahn*) 737
Wozny, Michael J. A Particle-Based Model for Simulating the Draping Behavior of Woven Cloth (*Breen, House*) 663

Xu, Bugao Assessing Carpet Appearance Retention by Image Analysis 697
Evaluating Carpet Appearance Loss: Periodicity and Tuft Placement (*Pourdeyhimi, Wehrle*) 21
Evaluating Carpet Appearance Loss: Pile Lay Orientation (*Pourdeyhimi, Nayernouri*) 130
Evaluating Maturity of Cotton Fibers Using Image Analysis: Definition and Algorithm (*Pourdeyhimi*) 330

Yang, Yiqi An Unusual Application of a Usual Crosslinking Agent—Dyeing Trimethylolmelamine Pretreated Cotton Without Added Salt (*Li*) 433
Yasuda, Takeshi Dynamic Water Vapor and Heat Transport Through Layered Fabrics Part III: Surface Temperature Change (*Miyama, Muramoto, Yasuda*) 457
Yasuda, Hirotsugu Dynamic Water Vapor and Heat Transport Through Layered Fabrics Part III: Surface Temperature Change (*Yasuda, Miyama, Muramoto*) ... 457
Yatagai, Mamiko Correlation Between Wettability and Water Absorbency of Soiled Fabrics 461
Yoo, Hye-Ja Pretreatments for Improving the Dyeability of *p*-Aramid Fibers (*Ravichandran, Obendorf*) 423
Yoon, M. Y. Enzymatic Hydrolysis of Cotton, Linen, Ramie, and Viscose Rayon Fabrics (*Buschle-Diller, Zeronian, Pan*) 270
Yoshimura, Y. Cellulase Treatment of Cotton Fabrics (*Koo, Ueda, Wakida, Igarashi*) 70
Part II: Inhibitory Effect of Surfactants on Cellulase Catalytic Reaction (*Ueda, Koo, Wakida*) 615

Zahn, H. Covalently Linked Fatty Acids at the Surface of Wool: Part of the "Cuticle Cell Envelope" (*Messinger, Höcker*) 554
The Stress/Strain Curve of α-Keratin Fibers and the Structure of the Intermediate Filament (*Wortmann*) 737
Zeronian, S. H. Enzymatic Hydrolysis of Cotton, Linen, Ramie, and Viscose Rayon Fabrics (*Buschle-Diller, Pan, Yoon*) 270

SUBJECT INDEX

Abrasion
- **dry abraded fabrics:** compressibility analysis of cotton, wool, and poly/cotton *Ukponmwan* 756

Absorption
- **hygral expansion of wool:** effects of dyeing and finishing: other crimp-dependent properties *Garcia, Pailthorpe, Postle* 466
- **of soiled fabrics:** correlation between wettability and water absorbency *Yatagai* 461

Acrylics
- **hollow spindle fancy yarns:** influence of production speed on characteristics: also polyester *Baoyu, Oxenham* 380
- **modacrylic fiber properties:** influence of spinneret dimensions on denier *Tsai* 611
- **self-twist yarns:** commingling self-twist yarns with filaments using air intermingling technique *Miao, How, Cheng* 563
- **surface irregularities of:** attachment to constant rate of elongation tester for estimating *Ajayi* 475
- **transport through layered fabrics:** dynamic water vapor and heat transport: surface temperature change *Yasuda, Miyama, Muramoto, Yasuda* 457
- **wrap spun yarns:** role of false twister for hollow spindle wrap spinning of wool and acrylic yarns *Miao, How, Cheng* 41

Aramids
- **dyeability of:** metalated pretreatments for improving dyeability of para-aramid fibers *Yoo, Ravichandran, Obendorf* 423

Aromatics
- **PAN-based carbon fibers:** effect of nitrogen atmosphere on structure and properties *Tsai* 772
- **stain-resist compounds:** active ingredients *Kelson, Holt* 775

Bast Fibers
- **retted kenaf fibers:** effect of bacterial and chemical retting on fiber quality *Ramaswamy, Ruff, Boyd* 305

Bending
- **of point bonded nonwovens:** modeling bending stiffness *Patel, Warner* 507

Birefringence
- **on-line measurement of:** double beam detection method coupled to an interference fringe device *Mortimer, Peguy* 544

Bleaching
- **of wool fabric:** activated hydrogen peroxide bleaching with citric acid *Karunditu, Carr, Dodd, Mallison, Fleet, Tetler* 570
- **oxidatively damaged cottons:** model for catalytic damage phenomenon using electrogenerated oxygen *Kokot, Marahusin, Schweinsberg, Jermini* 710
- **oxidatively damaged cottons:** method for estimating relative fabric damage using electrogenerated oxygen *Kokot, Jermini* 100

Carbon Fibers
- **PAN-based:** effect of nitrogen atmosphere on structure and properties *Tsai* 772

Carding
- **computer simulation of:** two-dimensional mathematical model *Cherkassky* 169
- **fiber load measurement of:** optical means to measure areal fiber density on-line *Rust, Koella* 364
- **modeling and simulation of:** for real-time carding controllers *Rust, Gutierrez* 573

Carpets
- **appearance loss in:** shading and ridge effects from pile lay orientation *Pourdeyhimi, Xu, Nayernouri* 130
- **appearance loss in:** periodicity and tuft placement *Pourdeyhimi, Xu, Wehrle* 21
- **appearance retention:** assessing by image analysis: tuft characteristics *Xu* 697
- **carpet appearance loss:** color change due to mechanical wear *Pourdeyhimi* 485
- **carpet texture change:** new method for measuring with a digital image of tuft shape *Wang, Wood* 215
- **defects in:** perception, detection, and diagnosis of appearance defects in fabrics, particularly color variations *McGregor, Mershon, Pastore* 584
- **new wear simulator:** samples subjected to repeated torsion and compression loads *Pourdeyhimi, Ramanathan, Javadpour* 528
- **optical carpet streaks:** goniophotometric assessments of bulk-related streaks in finished nylon carpets *Miller, Guelpa, Southern, Spivak* 633
- **optical streaks in:** influence of Suessen and Superba heat setting on streak intensity in finished nylon carpets *Miller* 75

Cashmere
- **fabric-to-skin friction:** influence of fiber type and moisture *Kenins* 722

Catalysis
- **for formaldehyde-free DP finishing:** nonphosphorus catalysts with BTCA and salts of various acids *Choi, Welch, Morris* 501
- **in cellulase treatment of cotton:** inhibitory effect of surfactants on cellulase catalytic reaction *Ueda, Koo, Wakida, Yoshimura* 615
- **in crosslinking with BTCA:** effect of catalyst on pore structure and performance of cotton *Bertoniere, King, Welch* 247
- **oxidatively damaged cottons:** model for catalytic damage phenomenon using electrogenerated oxygen *Kokot, Marahusin, Schweinsberg, Jermini* 710

Cellulose
- **disazo dyed:** irradiation of dyes in an ester environment: light-induced color loss *Freeman, McIntosh* 309
- **molecular weight distribution of:** relationship to cotton fiber strength: HVI calibration standards *Timpa, Ramey* 557

Ceramic Fibers
- **braided fiber seals:** characterizing the leakage flow of high temperature flexible seals *Cai, Mutharasan, Ko, Steinetz* 1
- **in braided fiber seals:** parametric study of leakage flow *Cai, Mutharasan, Ko, Steinetz* 280

Comfort
- **fabric-to-skin friction:** influence of fiber type and moisture *Kenins* 722
- **moisture vapor transfer through textiles:** microclimate moisture and temperature measurement in cotton and polyester *Kim, Spivak* 112
- **of bathroom tissue:** evaluation by mechanical stylus scanning and corresponding software *Rust, Keadle, Allen, Shalev, Barker* 163

Composite Fibers
- **braided fiber seals:** characterizing the leakage flow of high temperature ceramic and metal fiber seals *Cai, Mutharasan, Ko , Steinetz* 1
- **for braided fiber seals:** parametric study of leakage flow *Cai, Mutharasan, Ko, Steinetz* 280

Compression
in carpet wear: new wear simulator that subjects samples to repeated torsion and compression loads *Pourdeyhimi, Ramanathan, Javadpour* 528
of dry abraded woven fabrics: compressibility analysis of wool, cotton, and poly/cotton *Ukponmwan* 756
Computer Techniques
fabric reflectance model: dependence on denier per filament: ray trace model *Rubin, Kobsa, Shearer* 685
for simulating draping: particle-based model for draping behavior of woven cloth using computer animation models *Breen, House, Wozny* 663
image analysis of carpets: assessing carpet appearance retention by tuft analysis *Xu* 697
to determine cotton fiber maturity: direct measurement of fiber characteristics by image analysis *Matic-Leigh, Cauthen* 534
to determine cotton fiber maturity: image analysis: definition and algorithm *Xu, Pourdeyhimi* 330
to measure tissue softness: mechanical stylus scanning and corresponding software to evaluate bathroom tissue *Rust, Keadle, Allen, Shalev, Barker* 163
Contaminants
honeydew on cotton lint: stickiness potential of individual insect honeydew carbohydrates *Miller, Peralta, Ellis, Perkins* 344
Cotton Fabrics
bleaching nonwovens: low temperature process using hydrogen peroxide activated with sodium persulphate *Letcher, Govender, Lutseke* 761
cellulase treated: catalytic hydrolysis by a cellulase enzyme in the presence of dyes *Koo, Ueda, Wakida, Yoshimura, Igarashi* 70
cellulase treatment of: inhibitory effect of surfactants on cellulase catalytic reaction *Ueda, Koo, Wakida, Yoshimura* 615
compressibility analysis: dry abraded woven cotton, wool, and poly/cotton *Ukponmwan* 756
crosslinked with BTCA: effect of catalyst on pore structure and performance *Bertoniere, King, Welch* 247
crosslinking of: normal length fabrics premercerized with different alkalis *Chen, Chen* 142
DP reactant levels: thermoanalytical study: nonformaldehyde polycarboxylic acids *Trask-Morrell, Andrews* 729
durable press finishing: nonphosphorus catalysts for formaldehyde-free finishing with BTCA and salts of various acids *Choi, Welch, Morris* 501
dyeing with disperse dyes: in supercritical carbon dioxide: also wool *Gebert, Saus, Knittel, Buschmann, Schollmeyer* 371
dyeing without salt: dyeing trimethylolmelamine pretreated cotton without added salt: unusual application of crosslinking agent *Yang, Li* 433
dynamic friction in surface: spectral analysis of stick-slip motion *Ravandi, Toriumi, Matsumoto* 224
enzymatic hydrolysis of: also linen, ramie, and viscose rayon: reduced stiffness and better tensile strength *Buschle-Diller, Zeronian, Pan, Yoon* 270
infrared pre-drying of: also polyester, nylon, and acetate *Broadbent, Coté, Fecteau, Khatibi-Sarabi, Thérien* .. 123
moisture vapor transfer through: microclimate moisture and temperature measurement *Kim, Spivak* 112
oxidatively damaged: method for estimating relative fabric damage using electrogenerated oxygen *Kokot, Jermini* 100
oxidatively damaged: model for catalytic damage phenomenon using electrogenerated oxygen *Kokot, Marahusin, Schweinsberg, Jermini* 710
pilling of cotton/poly sweatshirts: relationship between random tumble tester ratings and garment performance *Alston* 592
surface irregularities of: attachment to constant rate of elongation tester for estimating *Ajayi* 475
tearing strength of: mechanistic role of yarn and fabric structure in determining tear resistance: understanding tongue tear *Scelzo, Backer, Boyce* 291
transport through layered fabrics: dynamic water vapor and heat transport: surface temperature change *Yasuda, Miyama, Muramoto, Yasuda* 457
water repellency of: effect of crosslinking agents on repellency of fabrics treated with fluorocarbon resin *Sato, Wakida, Tokino, Niu, Ueda, Mizushima, Takekoshi* 316
wetting and wicking of: transient measurement technique to determine *Ghali, Jones, Tracy* 106
wetting contact angles: derivations of cotton assemblies with varying perimeters *Hsieh* 552
Cotton Fibers
blend yarns: predicting strength properties: theoretical analysis *Frydrych* 198
blends from precolored fibers: applying the Kubelka-Munk equation to explain the color of the blends *Amirshahi, Pailthorpe* 357
cotton fiber strength: relationship between strength and cellulose molecular weight distribution: HVI calibrated standards *Timpa, Ramey* 557
fiber maturity: determining by image analysis: direct measurement of fiber characteristics *Matic-Leigh, Cauthen* 534
identifying with neural networks: nondestructive method with NIR spectrophotometry: 17 different fibers and their blends identified *Jasper, Kovacs* 444
insect honeydew on: stickiness potential of individual insect honeydew carbohydrates on cotton lint *Miller, Peralta, Ellis, Perkins* 344
maturity of: evaluating with image analysis: definition and algorithm *Xu, Pourdeyhimi* 330
sliver irregularities: modeling a double-zone drafter as an object of control *Djiev* 449
Cotton, Raw
lint cleaning: effect of seed-coat fragment size distribution: further comments *Barella* 431
Crimp
hygral expansion of wool: effects of dyeing and finishing: other crimp-dependent physical properties of wool *Garcia, Pailthorpe, Postle* 466
Crosslinking
of cottons with BTCA: effect of catalyst on pore structure and performance *Bertoniere, King, Welch* 247
of normal length mercerized cottons: fabrics premercerized with different alkalis *Chen, Chen* 142
to improve water repellency: effect of crosslinking agents on repellency of cotton fabrics treated with fluorocarbon resin *Sato, Wakida, Tokino, Niu, Ueda, Mizushima, Takekoshi* 316
unusual application of agent: dyeing trimethylolmelamine pretreated cotton without added salt *Yang, Li* 433
Crystallization
kinetics of nylon 6: nonisothermal crystallization characterization using DSC *Kim, Seo* 427

Decatizing
of wool fabrics: changes in mechanical properties after pressure decatizing as measured by FAST *Le, Tester, Ly, de Jong* 61
Deformation
in soil/geotextile interaction: effects of structural-related parameters *El Mogahzy, Gowayed, Elton* 744
of wool fabrics: large strain shear behavior analysis using linear viscoelasticity theory *Asvadi, Postle* 208
of woven fabrics: identifying local deformation phenomena during fabric uniaxial tensile loading *Realff* 135

simulating draping behavior: particle-based model for woven cloth using computer animation models *Breen, House, Wozny* ... 663
theory of fiber contact: geometric-probabilistic basis for general fiber assemblies *Komori, Itoh* ... 519
twisting rigidity of woven fabrics: apparatus to simultaneously measure twisting moment and in-plane load *Mori, Lloyd* ... 397

Density
autospectral density analysis: stick-slip motion of dynamic friction in cotton fabric surfaces *Ravandi, Toriumi, Matsumoto* ... 224

Differential Scanning Calorimetry
of weathered wool: HPDSC and wet bundle tensile strength *Schmidt, Wortmann* ... 690

Drafting
of cotton sliver: double-zone drafter for reducing sliver irregularities *Djiev* ... 449

Drape
simulating cloth draping behavior: particle-based model for woven cloth using computer animation models *Breen, House, Wozny* ... 663

Durable Press
crosslinking with BTCA: effect of catalyst on pore structure and performance of cottons *Bertoniere, King, Welch* 247
formaldehyde-free: nonphosphorus catalysts for finishing with BTCA and salts of various acids *Choi, Welch, Morris* ... 501
nonformaldehyde polycarboxylic acids: thermoanalytical study of DP reactant levels on cottons *Trask-Morrell, Andrews* ... 729

Dyeing
appearance defects in fabrics: perception, detection, and diagnosis, particularly color variations *McGregor, Mershon, Pastore* ... 584
cellulase treatment of dyed cottons: rate of catalytic hydrolysis by cellulase enzyme in the presence of dyes *Koo, Ueda, Wakida, Yoshimura, Igarashi* ... 70
dye resist treatment of wool: new reactive auxiliaries for *Haarer, Höcker* ... 578
dye-resist treatment of wool: new reactive auxiliaries: analysis of molecular weight and acidity *Haarer, Höcker* 480
fabric reflectance: modeling dependence of reflectance on denier per filament *Rubin, Kobsa, Shearer* ... 685
hygral expansion of wool: effects of dyeing and finishing: other crimp-dependent physical properties *Garcia, Pailthorpe, Postle* ... 466
of cotton without added salt: dyeing trimethylolmelamine pretreated cotton: unusual application of crosslinking agent *Yang, Li* ... 433
of para-aramid fibers: metalated pretreatments for improving dyeability *Yoo, Ravichandran, Obendorf* ... 423
of polyester with disperse dyes: boundary layer transitional kinetics *Etters* ... 406
of premercerized cottons: crosslinking of normal length fabrics premercerized with different alkalis *Chen, Chen* 142
of textile threads: bar design for length compensation in winding cheeses *Falkner* ... 351
precolored fibers for blends: applying the Kubleka-Munk equation to explain the color of the blends *Amirshahi, Pailthorpe* ... 357
predicting dye concentrations: using neural networks for multiple-dye mixtures: comments on *Vangheluwe, Sette, Pynckels* ... 182
predicting dye concentrations: using neural networks for multiple-dye mixtures: reply to comments *Jasper* ... 184
with disperse dyes: dyeing natural fibers in supercritical carbon dioxide *Gebert, Saus, Knittel, Buschmann, Schollmeyer* ... 371
with liposomes: unilamellar lipid bilayers as vehicles for azo disperse dyes on wool *de la Maza, Parra* ... 255

Dyes
light-induced color loss in: irradiation of disazo dyes in an ester environment *Freeman, McIntosh* ... 309
synthetic azo dyes: iron complexes for protein and polyamide fibers: environmental impacts *Sokolowska-Gajda, Freeman, Reife* ... 388

Elasticity
of wool fabrics: analysis of large strain shear behavior using linear viscoelasticity theory *Asvadi, Postle* ... 208

Electrostatics
discharge of wool fabrics: effect of quaternized amphiphilic peptides on pilling and discharge *Gómez, Juliá, Erra, Naik* ... 648

Environmental Impacts
of disperse dyeing: dyeing natural fibers in supercritical carbon dioxide: less toxic waste water *Gebert, Saus, Knittel, Buschmann, Schollmeyer* ... 371
of dyeing without added salt: dyeing trimethylolmelamine pretreated cotton: unusual application of crosslinking agent *Yang, Li* ... 433
of synthetic azo dyes: iron complexes for protein and polyamide fibers *Sokolowska-Gajda, Freeman, Reife* ... 388
of textile padding: simulating padding with vacuum extraction: perturbations of the bath concentration *Broadbent, Bao, Hamoudi, Kong* ... 262
of wool shrinkproofing: zero-AOX treatments: reaction of wool with permonosulfate and related oxidants *Denning, Freeland, Guise, Hudson* ... 413
recycling padding chemicals: simulating padding with vacuum extraction: influence of process variables under ideal conditions *Broadbent, Bao* ... 230

Enzymes
cellulase treatment of cotton: inhibitory effect of surfactants on cellulase catalytic reaction *Ueda, Koo, Wakida, Yoshimura* ... 615
enzymatic hydrolysis of fabrics: cotton, linen, ramie, and viscose rayon: reduced stiffness and better tensile strength *Buschle-Diller, Zeronian, Pan, Yoon* ... 270
in cellulase treatment of cotton: rate of catalytic hydrolysis by cellulase enzyme in the presence of dyes *Koo, Ueda, Wakida, Igarashi* ... 70

Fabric Properties
local deformation phenomena: woven fabric uniaxial tensile loading *Realff* ... 135

Fatigue
of staple yarns: tensile fatigue behavior: comments on *Barella* ... 491
of staple yarns: tensile fatigue behavior: reply to comments *Anandjiwala, Goswami* ... 491

Fiber Orientation
in accelerating laminar air flow: straightening of crimped and hooked fibers in converging transport ducts: computational modeling *Smith, Roberts* ... 335

Fiber Structure
of general fiber assemblies: author's corrections *Pan* ... 370

Fibers
ceramic and metal fibers: high temperature flexible braided fiber seals: characterizing leakage flow *Cai, Mutharasan, Ko, Steinetz* ... 1

Filtration
flow through geotextiles: controlled flows through new and damaged textiles *Adolphe, Lopes, Sigli* ... 176

Finishing
effect on hygral expansion of wool: dyeing and finishing: other crimp-dependent properties *Garcia, Pailthorpe, Postle* ... 466
nonformaldehyde polycarboxylic acids: thermoanalytical analysis of DP reactant levels on cottons *Trask-Morrell, Andrews* ... 729
simulating textile padding: vacuum extraction: influence of process variables under ideal conditions *Broadbent, Bao* ... 230
textile padding: simulating padding with vacuum extraction: perturbations of the bath concentration *Broadbent, Bao, Hamoudi, Kong* ... 262
wicking of spin finishes: finishes and related liquids into PET and PP continuous filament yarns *Kamath, Hornby, Weigmann, Wilde* ... 33
with silica suspensions: foamabiity of suspensions in a rotor-stator mixer *den Engelsen, Gooijer, Wassink* ... 626
Foams
silica suspensions: foamability in a rotor-stator mixer *den Engelsen, Gooijer, Wassink* ... 626
Friction
dynamic friction in fabric surface: spectral analysis of stick-slip motion in cotton *Ravandi, Toriumi, Matsumoto* 224
fabric-to-skin: influence of fiber type and moisture *Kenins* 722
friction spun yarns: influence of production speed on tenacity and structure: image analysis *Alagha, Oxenham, Iype* ... 185
to measure surface irregularities: attachment to constant rate of elongation tester for cottons *Ajayi* ... 475

Geometry
of air-jet texturing nozzles: effects on flow characteristics and texturing performance *Versteeg, Bilgin, Acar* .. 240
of moisture diffusivity: heat and moisture transfer through nonwovens: geometric moisture diffusivity model *Woo, Shalev, Barker* ... 190
of thread cheeses: bar design for length compensation in textile winding *Falkner* ... 351
of tufted carpets: assessing carpet appearance retention by image analysis *Xu* ... 697
of woven fabrics: critical review of fabric degree of tightness and its applications *Seyam, El-Shiekh* ... 653
of wrap spun yarns: role of false twister in hollow spindle wrap spinning of wool and acrylic yarns *Miao, How, Cheng* ... 41
theory of fiber contact: modified theory on a geometric-probabilistic basis for general fiber assemblies *Komori, Itoh* ... 519
Geotextiles
filtration flow through: controlled liquid flow through new and damaged textiles *Adolphe, Lopes, Sigli* ... 176
soil/geotextile interaction: theory of structural-related parameters *El Mogahzy, Gowayed, Elton* ... 744
Glass Fibers
in braided fiber seals: parametric study of leakage flow *Cai, Mutharasan, Ko, Steinetz* ... 280
Goniophotometry
to assess optical carpet streaks: bulk-related streaks in finished nylon carpets *Miller, Guelpa, Southern, Spivak* 633
Grafting
of polyester film: novel fluoroalkylation with perfluoroalkanoyl peroxides *Kawase, Fujii, Minagawa, Sawada, Nakayama* ... 375

Handle
enzymatic hydrolysis of fabrics: cotton, linen, ramie, viscose rayon: reduced stiffness and better tensile strength *Buschle-Diller, Zeronian, Pan, Yoon* ... 270
of bathroom tissue: softness evaluation by mechanical stylus scanning and corresponding software *Rust, Keadle, Allen, Shalev, Barker* ... 163
of cellulase-treated cottons: catalytic hydrolysis by cellulase enzyme in the presence of dyes *Koo, Ueda, Wakida, Yoshimura, Igarashi* ... 70
of decatized wool: changes in mechanical properties as measured by FAST *Le, Tester, Ly, de Jong* ... 61
of nonwoven fabrics: objective measurement: development of equations *Kawabata, Niwa, Wang* ... 597
Heat Setting
of finished nylon carpets: influence on optical streaks: Suessen and Superba *Miller* ... 75
Heat Transfer
through layered fabrics: dynamic water vapor and heat transport: surface temperature change *Yasuda, Miyama, Muramoto, Yasuda* ... 457
through nonwovens: heat and moisture transfer: geometric moisture diffusivity model *Woo, Shalev, Barker* ... 190
through nonwovens: model to predict thermal conductivity *Woo, Shalev, Barker* ... 149
High Volume Instruments
calibration standards: relationship between cotton fiber strength and cellulose molecular weight distribution *Timpa, Ramey* ... 557
predicting yarn strength on line: theoretical and experimental study of cotton blends *Frydrych* ... 198
Honeydew
stickiness potential of: individual insect honeydew carbohydrates on cotton lint *Miller, Peralta, Ellis, Perkins* 344

Image Analysis
of appearance defects in fabrics: perception, detection, and diagnosis, particularly color variations *McGregor, Mershon, Pastore* ... 584
of carpet appearance loss: shading and ridge effects from pile lay orientation: flow field analysis *Pourdeyhimi, Xu, Nayernouri* ... 130
of carpet appearance loss: periodicity and tuft placement *Pourdeyhimi, Xu, Wehrle* ... 21
of carpet appearance retention: tuft characteristics of geometry, orientation, and spatial arrangement *Xu* .. 697
of carpet color change: evaluating carpet appearance loss due to wear *Pourdeyhimi* ... 485
of carpet texture change: new method using a digital image of tuft shape *Wang, Wood* ... 215
of cotton fiber maturity: evaluation: definition and algorithm *Xu, Pourdeyhimi* ... 330
of friction spun yarns: influence of production speed on tenacity and structure *Alagha, Oxenham, Iype* 185
to determine cotton fiber maturity: direct measurement of fiber characteristics *Matic-Leigh, Cauthen* ... 534
Infrared
for pre-drying textiles: infrared radiation pre-drying of cotton, polyester, nylon, and acetate *Broadbent, Coté, Fecteau, Khatibi-Sarabi, Thérien* ... 123
to estimate fabric damage: oxidatively damaged cottons: electrogenerated oxygen and diffuse reflectance IR spectra *Kokot, Jermini* ... 100

Kenaf
retting of: effect of bacterial and chemical retting on fiber quality *Ramaswamy, Ruff, Boyd* ... 305
Keratin
alpha-keratin cortex: model for mechanical properties *Feughelman* ... 236
cuticle cell envelope: covalently linked fatty acids at the surface of wool *Zahn, Messinger, Höcker* ... 554

stress-strain curve of: structure of the intermediate filament *Wortmann, Zahn* ... 737
Kinetics
of disperse dyeing of polyester: boundary layer transitional kinetics *Etters* ... 406
of nylon 6: crystallization kinetics using DSC *Kim, Seo* 427
Knits
pilling of wool fabrics: effect of quaternized amphiphilic peptides on pilling and electrostatic discharge *Gómez, Juliá, Erra, Naik* ... 648

Lasers
to measure carding fiber load: optical means to measure fiber areal density on-line *Rust, Koella* ... 364
Light Fastness
of disazo dyes: irradiation of dyes in an ester environment: light-induced color loss *Freeman, McIntosh* ... 309
Light Microscopy
fiber birefringence: device for on-line measurement *Mortimer, Peguy* ... 544
Light Phenomena
optical carpet streaks: goniophotometric assessment of bulk-related streaks in finished nylon carpets *Miller, Guelpa, Southern, Spivak* ... 633
wool weathered by light exposure: HPDSC and wet bundle tensile strength *Schmidt, Wortmann* ... 690
Linen
enzymatic hydrolysis of: also cotton, ramie, and viscose rayon: reduced stiffness and better tensile strength *Buschle-Diller, Zeronian, Pan, Yoon* ... 270
Lint
cotton lint cleaning: effect on seed-coat fragment size distribution: further comments *Barella* ... 431
Liposomes
for wool dyeing: unilamellar lipid bilayers as vehicles for azo disperse dyes on wool *de la Maza, Parra* ... 255
Looms
air-jet: measuring high speed jet flows from main nozzle and weft drag forces *Ishida, Okajima* ... 88
air-jet: flow characteristics of main nozzle: basic data for optimum nozzle design *Ishida, Okajima* ... 10
gripper-projectile looms: filling patterning with a replicate color: reduced minimax movement due to edge redundancy *Dawson* ... 765

Mathematical Analysis
of a double-zone drafter: automatic control system for reducing cotton sliver irregularities *Djiev* ... 449
of air-jet loom main nozzle: measuring high speed jet flows from main nozzle and weft drag forces: optimum nozzle design *Ishida, Okajima* ... 88
of air-jet loom nozzles: flow characteristics of main nozzle: measuring flow for optimum nozzle design *Ishida, Okajima* ... 10
of braided fiber seals: parametric study of leakage flow *Cai, Mutharasan, Ko, Steinetz* ... 280
of carding: modeling and simluation of the process for real-time controllers *Rust, Gutierrez* ... 573
of carpet texture change: new method for measuring using a digital image of tuft shape *Wang, Wood* ... 215
of disperse dyeing of polyester: boundary layer transitional kinetics *Etters* ... 406
of draping of woven cloth: particle-based model for simulating draping behavior using computer animation models *Breen, House, Wozny* ... 663
of fiber orientation in air flow: straightening of crimped and hooked fibers in converging transport ducts: computational modeling *Smith, Roberts* ... 335
of heat and moisture transfer: model to predict thermal conductivity of nonwovens *Woo, Shalev, Barker* ... 149
of microstructural characteristics: author'scorrections *Pan* 370
of neural networks: to predict dye concentrations in multiple-dye mixtures: comments on *Vangheluwe, Sette, Pynckels* ... 182
of neural networks: to predict dye concentrations in multiple-dye mixtures: reply to comments *Jasper* ... 184
of nonwoven handle: objective measurement: development of the equations *Kawabata, Niwa, Wang* ... 597
of silica suspension foamability: in a rotor-stator mixer *den Engelsen, Gooijer, Wassink* ... 626
of soil/geotextile interaction: effects of structural-related parameters *El Mogahzy, Gowayed, Elton* ... 744
of textile padding: simulating padding with vacuum extraction: perturbations of the bath concentration *Broadbent, Bao, Hamoudi, Kong* ... 262
of textile padding: simulating padding with vacuum extraction: influence of process variables under ideal conditions *Broadbent, Bao* ... 230
of the carding process: two-dimensional model using computer simulation *Cherkassky* ... 169
of thread winding: bar design for length compensation in winding cheeses *Falkner* ... 351
of tongue tear: mechanistic role of yarn and fabric structure in determining tear resistance of woven cloth: modeling tongue tear *Scelzo, Backer, Boyce* ... 321
of twisting rigidity: apparatus to simultaneously measure twisting moment and in-plane load of woven fabrics *Mori, Lloyd* ... 397
of worsted spinning: predicting end breakage rates: new model for end break prediction *Huang, Oxenham, Grosberg* ... 717
of woven fabric mechanics: critical review of fabric degree of tightness and its applications *Seyam, El-Shiekh* 653
theory of fiber contact: geometric-probabilistic analysis for general fiber assemblies *Komori, Itoh* ... 519
Mechanical Properties
of alpha-keratin: model for properties of the cortex *Feughelman* ... 236
of alpha-keratin: structure of the intermediate filament *Wortmann, Zahn* ... 737
of decatized wool: changes as measured by FAST *Le, Tester, Ly, de Jong* ... 61
of partially oriented PA yarns: superstructure and texturability *Kveder, Rijavec* ... 495
of resin treated wool: treated with multifunctional epoxides *Muraoka, Ito, Umehara, Shibata, Miyamoto* ... 514
Mercerization
premercerizing with different alkalis: crosslinking of normal length mercerized cotton fabrics *Chen, Chen* ... 142
Metal Fibers
in braided fiber seals: parametric study of leakage flow *Cai, Mutharasan, Ko, Steinetz* ... 280
Moisture Phenomena
in fabric-to-skin friction: influence of fiber type and moisture *Kenins* ... 722
Moisture Regain
of resin treated wool: treated with multifunctional epoxides *Muraoka, Ito, Umehara, Shibata, Miyamoto* ... 514
Moisture Transfer
flow through geotextiles: controlled flow through new and damaged textiles *Adolphe, Lopes, Sigli* ... 176
in fibrous assemblies: liquid wetting, transport, and retention properties: comments on *Miller, Tyomkin* ... 55
in fibrous assemblies: liquid wetting, transport, and retention properties: reply to comments *Hsieh* ... 57
influence of fiber type on: dynamic moisture vapor transfer through cotton and polyester: microclimate moisture and temperature *Kim, Spivak* ... 112

through layered fabrics: dynamic water vapor and moisture transport: surface temperature change *Yasuda, Miyama, Muramoto, Yasuda* 457
through nonwovens: heat and moisture transfer: geometric moisture diffusivity model *Woo, Shalev, Barker* ... 190
through nonwovens: model to predict thermal conductivity *Woo, Shalev, Barker* 149

Neural Networks
for identifying fibers: nondestructive technique with NIR spectrophotometry *Jasper, Kovacs* 444
to predict dye concentrations: multiple-dye mixtures: comments on *Vangheluwe, Sette, Pynckels* 182
to predict dye concentrations: multiple-dye mixtures: reply to comments *Jasper* 184
Nonwovens
bleaching cotton nonwovens: low temperature process using hydrogen peroxide activated with sodium persulphate *Letcher, Govender, Lutseke* 761
handle of: objective measurement: development of equations *Kawabata, Niwa, Wang* 597
heat and moisture tranfer through: model to predict thermal conductivity *Woo, Shalev, Barker* 149
heat and moisture transfer through: geometric moisture diffusivity model *Woo, Shalev, Barker* 190
point bonded: modeling bending stiffness *Patel, Warner* 507
Nylon
carpet appearance: assessing retention by image analysis of tuft characteristics *Xu* 697
carpet texture change: new method for measuring using a digital image of tuft shape *Wang, Wood* 215
crystallization kinetics of: potential spinning performance by DSC *Kim, Seo* 427
finished nylon carpets: optical streaks in: influence of Suessen and Superba heat setting *Miller* 75
infrared drying of: also cotton, polyester, and acetate *Broadbent, Coté, Fecteau, Khatibi-Sarabi, Thérien* .. 123
multifilament yarns: commingling wool and acrylic self-twist yarns with nylon filaments *Miao, How, Cheng* 563
optical carpet streaks: goniophotometric assessment of bulk-related streaks in finished nylon carpets *Miller, Guelpa, Southern, Spivak* 633
synthetic azo dyeing of: iron complexes for protein and polyamide fibers: environmental impacts *Sokolowska-Gajda* 388
wetting of nylon 66: dynamic wetting using aqueous solutions of anionic, nonionic, and mixed surfactants *Carrión-Fité* 49

Optical Phenomena
carpet streaks: influence of Suessen and Superba heat setting on optical streak intensity in finished nylon carpets *Miller* 75
fabric reflectance: modeling dependence of reflectance on denier per filament *Rubin, Kobsa, Shearer* 685
optical carpet streaks: goniophotometric assessment of bulk-related streaks in finished nylon carpets *Miller, Guelpa, Southern, Spivak* 633
to detect fabric defects: perception, detection, and diagnosis of appearance defects, particularly color variations *McGregor, Mershon, Pastore* 584
Optics
blends from precolored fibers: applying the Kubleka-Munk equation to explain the color of the blends *Amirshahi, Pailthorpe* 357
carpet appearance loss: evaluating apparent color loss due to wear *Pourdeyhimi* 485
fiber birefringence: device for on-line measurement *Mortimer, Peguy* 544
to evaluate bathroom tissue: softness evaluation by mechanical stylus scanning and optical image analysis *Rust, Keadle, Allen, Shalev, Barker* 163
to measure carding fiber load: optical means to measure fiber areal density on-line *Rust, Koella* 364

Pilling
of cotton/poly sweatshirts: relationship between random tumble tester ratings and garment performance *Alston* 592
of wool fabrics: effect of quaternized amphiphilic peptides on pilling and electrostatic discharge *Gómez, Juliá, Erra, Naik* 648
Polyacrylonitrile
PAN-based carbon fibers: effect of nitrogen atmosphere on structure and properties *Tsai* 772
Polyamides
partially oriented yarns: dynamic mechanical properties, superstructure, and texturability *Kveder, Rijavec* .. 495
Polyester
air-jet texturing of: effects of geometry of texturing nozzles on flow characteristics and texturing performance *Versteeg, Bilgin, Acar* 240
disazo dyed: irradiation of dyes in an ester environment: light-induced color loss *Freeman, McIntosh* 309
disperse dye sorption: boundary layer transitional kinetics *Etters* 406
fabric-to-skin friction: influence of fiber type and moisture *Kenins* 722
fluoroalkylation of surfaces: grafting with perfluoroalkanoyl peroxides on polyester film *Kawase, Fujii, Minagawa, Sawada, Nakayama* 375
handle of nonwovens: objective hand measurement: development of the equations *Kawabata, Niwa, Wang* .. 597
hollow spindle fancy yarns: influence of production speed on characteristics: also acrylics *Baoyu, Oxenham* .. 380
identifying with neural networks: nondestructive method using NIR spectrophotometry: 17 fibers and their blends identified *Jasper, Kovacs* 444
infrared pre-drying of: also cotton, nylon, and acetate *Broadbent, Coté, Fecteau, Khatibi-Sarabi, Thérien* .. 123
moisture vapor transfer through: microclimate moisture and temperature measurement *Kim, Spivak* 112
pilling of cotton/poly sweatshirts: relationship between random tumble tester ratings and garment performance *Alston* 592
point bonded nonwovens: modeling bending stiffness *Patel, Warner* 507
soiled fabrics: correlation between wettability and water absorbency *Yatagai* 461
spin finishing of: wicking of finishes and related liquids into PET and PP continuous filament yarns *Kamath, Hornby, Weigmann, Wilde* 33
transport through layered fabrics: dynamic water vapor and heat transport : surface temperature change *Yasuda, Miyama, Muramoto, Yasuda* 457
Polypropylene
point bonded nonwovens: modeling bending stiffness *Patel, Warner* 507
spin finishing of: wicking of finishes and related liquids into PET and PP continuous filament yarns *Kamath, Hornby, Weigmann, Wilde* 33
wetting and wicking of: transient measurement technique to determine *Ghali, Jones, Tracy* 106
Porosity
of braided fiber seals: characterizing leakage flow of high temperature flexible ceramic and metal fiber seals *Cai, Mutharasan, Ko, Steinetz* 1
Proteins
in the alpha-keratin cortex: model for the mechanical properties of the cortex *Feughelman* 236

Ramie
enzymatic hydrolysis of: also cotton, linen, and viscose rayon: reduced stiffness and better tensile strength *Buschle-Diller, Zeronian, Pan, Yoon* 270
Rayon
enzymatic hydrolysis of: also cotton, linen, and ramie: reduced stiffness and better tensile strength *Buschle-Diller, Zeronian, Pan, Yoon* 270
soiled fabrics: correlation between wettability and water absorbency *Yatagai* 461
Reflectance
modeling fabric reflectance: dependence on denier per filament: ray trace model *Rubin, Kobsa, Shearer* 685
Resins
as water repellents: effect of crosslinking agents on repellency of cotton fabrics treated with fluorocarbon resin *Sato, Wakida, Tokino, Niu, Ueda, Mizushima, Takekoshi* 316
multifunctional epoxides: physical properties and moisture regain of wool fibers *Muraoka, Ito, Umehara, Shibata, Miyamoto* 514
Retting
of kenaf fibers: effect of bacterial and chemical retting on fiber quality *Ramaswamy, Ruff, Boyd* 305

Shear Stress
in soil/geotextile interaction: effects of structural-related parameters *El Mogahzy, Gowayed, Elton* 744
Shrinkproofing
of wool treated with multifunctional epoxides: shrink-resist properties and surface characteristics *Ito, Muraoka, Umehara, Shibata, Miyamoto* 440
zero-AOX treatments of wool: reaction of wool with permonosulfate and related oxidants *Denning, Freeland, Guise, Hudson* 413
Sliver
double-zone drafter: optimization of automatic control system for reducing sliver irregularities *Djiev* 449
Soiling
of resin treated wool fabric: physical properties of wool treated with multifunctional epoxides *Muraoka, Ito, Umehara, Shibata, Miyamoto* 514
soiled fabrics: correlation between wettability and water absorbency *Yatagai* 461
Spectrometry
of wool bleaching: activated hydrogen peroxide bleaching with citric acid: FAB-MS spectrometry *Karunditu, Carr, Dodd, Mallison, Fleet, Tetler* 570
Spectrophotometry
to identify fibers: using neural networks and NIR to identify 17 different fibers and their blends *Jasper, Kovacs* 444
Spectroscopy
DRIFT spectroscopy: of oxidatively damaged cotton fabrics: model for catalytic damage phenomenon using electrogenerated oxygen *Kokot, Marahusin, Schweinsberg, Jermini* 710
ESCA of polyester film: novel fluoroalkylation: grafting with perfluoroalkanoyl peroxides *Kawase, Fujii, Minagawa, Sawada, Nakayama* 375
FTIR and FT-Raman: of formaldehyde-free DP finished cotton with BTCA and various salts of acids *Choi, Welch, Morris* 501
Spinning
carding process: two-dimensional mathematical model of *Cherkassky* 169
friction spun yarns: influence of production speed on tenacity and structure: image analysis *Alagha, Oxenham, Iype* 185
hollow spindle fancy yarns: influence of production speed on characteristics: acrylic and polyester *Baoyu, Oxenham* 380
of hollow spindle wrap yarns: role of false twister: wool and acrylic *Miao, How, Cheng* 41
of modacrylic fibers: influence of spinneret dimensions on denier *Tsai* 611
of worsted yarns: predicting end breakage rates: measuring dynamic yarn strength and tension *Huang, Oxenham* 619
of worsted yarns: predicting end breakage rates: new model for end break prediction *Huang, Oxenham, Grosberg* 717
Staining
stain-resist compounds: active ingredients *Kelson, Holt* 775
Statistical Methods
of oxidatively damaged fabrics: method for estimating relative fabric damage using electrogenerated oxygen *Kokot, Jermini* 100
to explain the color of blends: applying the Kubelka-Munk equation to explain the color of blends from precolored fibers *Amirshahi, Pailthorpe* 357
Strain
of cotton blend yarns: predicting strength: theoretical and experimental analysis *Frydrych* 198
wool large shear strain: analysis of fabric behavior using linear viscoelastic theory *Asvadi, Postle* 208
Surface Properties
cotton irregularities: attachment to constant rate of elongation tester to measure surface irregularities *Ajayi* 475
of grafted polyester film: novel fluoroalkylation: grafting with perfluoroalkanoyl peroxides *Kawase, Fujii, Minagawa, Sawada, Nakayama* 375
of shrinkproofed wool: shrink-resistant properties of wool fibers treated with multifunctional epoxides *Ito, Muraoka, Umehara, Shibata, Miyamoto* 440
of wool: x-ray photoelectron spectroscopy and static secondary ion mass spectrometry: comments on *Rankin* 492
of wool: x-ray photoelectron spectroscopy and static secondary ion mass spectrometry: reply to comments *Ward, Willis, George, Guise, Denning, Evans, Short* 493
Surfactants
for wetting nylon 66: dynamic wetting using aqueous solutions of anionic, nonionic, and mixed surfactants *Carrión-Fité* 49
in cellulase treatment of cotton: inhibitory effect of surfactants on cellulose catalytic reaction *Ueda, Koo, Wakida, Yoshimura* 615
silica suspensions: foamability in a rotor-stator mixer *den Engelsen, Gooijer, Wassink* 626

Tearing Strength
of woven cloth: mechanistic role of yarn and fabric structure in determining: modeling tongue tear *Scelzo, Backer, Boyce* 321
of woven cloth: mechanistic role of yarn and fabric structure in determining tear resistance: understanding tongue tear *Scelzo, Backer, Boyce* 291
Tenacity
of cotton blend yarns: predicting strength: theoretical and experimental analysis *Frydrych* 198
of friction spun yarns: influence of production speed on tenacity and structure: image analysis *Alagha, Oxenham, Iype* 185
tear resistance of woven cloth: mechanistic role of yarn and fabric structure in determining: understanding tongue tear *Scelzo, Backer, Boyce* 291
tearing strength of woven cloth: mechanistic role of yarn and fabric structure in determining tear resistance: modeling tongue tear *Scelzo, Backer, Boyce* 321

Tensile Properties
of dyed Kevlar: metalated pretreatments for improving dyeability: no loss of tensile strength *Yoo, Ravichandran, Obendorf* ... 423
of fabric under local deformation: identifying deformation during woven fabric uniaxial tensile loading *Realff* 135
of staple yarns: tensile fatigue behavior: comments on *Barella* ... 491
of staple yarns: tensile fatigue behavior: reply to comments *Anandjiwala, Goswami* ... 491
stick-slip motion in cottons: spectral analysis of dynamic friction in fabric surfaces *Ravandi, Toriumi, Matsumoto* ... 224
Tension
in worsted spinning: predicting end breakage rates: measuring dynamic yarn strength and tension *Huang, Oxenham* ... 619
Textile Processing
infrared radiation: pre-drying cotton, polyester, nylon, and acetate in an infrared oven *Broadbent, Coté, Fecteau, Khatibi-Sarabi, Thérien* ... 123
Texture
carpet texture change: new method for measuring using a digital image of tuft shape *Wang, Wood* ... 215
Texturing
air-jet texturing: effects of geometry of texturing nozzles on flow characteristics and performance *Versteeg, Bilgin, Acar* ... 240
of partially oriented PA yarns: dynamic mechanical properties and superstructure *Kveder, Rijavec* ... 495
Thermal Analysis
of DP reactant levels on cottons: nonformaldehyde polycarboxylic acids *Trask-Morrell, Andrews* ... 729
Thermoplasticity
partially oriented yarns: dynamic mechanical properties, superstructure, and texturability *Kveder, Rijavec* 495
Torsion
in carpet wear: new wear simulator that subjects samples to repeated torsion and compression loads *Pourdeyhimi, Ramanathan, Javadpour* ... 528
Twisting
in wrap spinning: false twister for hollow spindle wrap yarn spinning of wool and acrylic *Miao, How, Cheng* ... 41
self-twist yarn: commingling with filaments using air intermingling technique *Miao, How, Cheng* ... 563
twisting rigidity of woven fabrics: apparatus to simultaneously measure twisting moment and in-plane load *Mori, Lloyd* ... 397

Water Repellency
of cotton fabrics: effect of crosslinking agents on repellency of fabrics treated with fluorocarbon resin *Sato, Wakida, Tokino, Niu, Ueda, Mizushima, Takekoshi* ... 316
Wear
new carpet wear simulator: machine subjects samples to repeated torsion and compression loads *Pourdeyhimi, Ramanathan, Javadpour* ... 528
Weathering
of wool fabric: HPDSC and wet bundle tensile strength *Schmidt, Wortmann* ... 690
Weaving
air-jet loom nozzles: flow characteristics of main nozzle: measuring flow for optimum nozzle design *Ishida, Okajima* ... 10
mechanics of woven fabrics: critical review of fabric degree of tightness and its applications *Seyam, El-Shiekh* 653
on a gripper-projectile loom: filling patterning with a replicate color: reduced minimax movement due to edge redundancy *Dawson* ... 765
on air-jet looms: measuring high speed jet flows from the main nozzle and weft drag forces *Ishida, Okajima* 88
Wettability
of cotton and PP knits: transient measurement experimental techniques for measuring wetting and wicking *Ghali, Jones, Tracy* ... 106
of cotton assemblies: wetting contact angle derivations of assemblies with varying perimeters *Hsieh* ... 552
of fibrous assemblies: liquid wetting, transport, and retention properties: reply to comments *Hsieh* ... 57
of fibrous assemblies: and transport, retention properties: comments on *Miller, Tyomkin* ... 55
of nylon 66: dynamic wetting using aqueous solutions of anionic, nonionic, and mixed surfactants *Carrión-Fité* 49
of soiled fabrics: correlation between wettability and water absorbency *Yatagai* ... 461
Whiteness
of bleached cotton nonwovens: low temperature process using hydrogen peroxide activated with sodium persulphate *Letcher, Govender, Lutseke* ... 761
Wicking
of cotton and PP knits: transient measurement experimental technique for determining *Ghali, Jones, Tracy* ... 106
of spin finishes into yarns: finishes and related liquids into melt spun PET and PP continuous filament yarns *Kamath, Hornby, Weigmann, Wilde* ... 33
Wool Fabrics
azo disperse dyed wools: unilamellar lipid bilayers as dyeing vehicles *de la Maza, Parra* ... 255
bleaching of: activated hydrogen peroxide bleaching with citric acid *Karunditu, Carr, Dodd, Mallison, Fleet, Tetler* ... 570
dyeing with disperse dyes: in supercritical carbon dioxide *Gebert, Saus, Knittel, Buschmann, Schollmeyer* ... 371
fabric-to-skin friction: influence of fiber type and moisture *Kenins* ... 722
hygral expansion of: effects of dyeing and finishing: other crimp-dependent properties *Garcia, Pailthorpe, Postle* 466
large strain shear behavior of: fabric analysis using linear viscoelasticity theory *Asvadi, Postle* ... 208
pilling of: effect of quaternized amphiphilic peptides on pilling and electrostatic discharge *Gómez, Juliá, Erra, Naik* ... 648
pressure decatizing of: changes in mechanical properties as measured by FAST *Le, Tester, Ly, de Jong* ... 61
shrinkproofing of: reaction of wool with peroxomonosulfate and related oxidants: zero-AOX treatments *Denning, Freeland, Guise, Hudson* ... 413
surface irregularities of: attachment to constant rate of elongation tester for estimating *Ajayi* ... 475
synthetic azo dyeing of: iron complexes for protein and polyamide fibers: environmental impacts *Sokolowska-Gajda, Freeman, Reife* ... 388
transport through layered fabrics: dynamic water vapor and heat transport: surface temperature change *Yasuda, Miyama, Muramoto, Yasuda* ... 457
weathered wool: HPDSC and wet bundle tensile strength *Schmidt, Wortmann* ... 690
Wool Fibers
blends from precolored fibers: applying the Kubelka-Munk equation to explain the color of the blends *Amirshahi, Pailthorpe* ... 357
carpet appearance loss: shading and ridge effects from pile lay orientation *Pourdeyhimi, Xu, Nayernouri* ... 130
carpet appearance: assessing retention by image analysis of tuft characteristics *Xu* ... 697
dye-resist treatment of: new reactive auxiliaries for *Haarer, Höcker* ... 578
dye-resist treatments: new reactive auxiliaries: molecular weight and acidity *Haarer, Höcker* ... 480

hollow spindle wrap yarns: role of false twister: wool and acrylic yarns *Miao, How, Cheng* 41
self-twist yarns: commingling self-twist yarns with filaments using air intermingling technique *Miao, How, Cheng* 563
stain-resist compounds for: active ingredients *Kelson, Holt* 775
surface analysis of: x-ray photoelectron spectroscopy and static secondary ion mass spectrometry: reply to comments *Ward, Willis, George, Guise, Denning, Evans, Short* 493
surface analysis of: x-ray photoelectron spectroscopy and static secondary ion mass spectrometry: comments on *Rankin* 492
surface covalently linked fatty acids: part of the cuticle cell envelope *Zahn, Messinger, Höcker* 554
treated with multifunctional epoxides: shrink-resistant properties and surface characteristics *Ito, Muraoka, Umehara, Shibata, Miyamoto* 440
treated with multifunctional epoxides: physical properties and moisture regain *Muraoka, Ito, Umehara, Shibata, Miyamoto* 514
wool carpets: appearance loss of: evaluating periodicity and tuft placement with image analysis *Pourdeyhimi, Xu, Wehrle* 21
worsted spinning: predicting end breakage rates: measuring dynamic yarn strength and tension *Huang, Oxenham* 619
worsted spinning: predicting end breakage rates: new model for end break prediction *Huang, Oxenham, Grosberg* 717

Yarns
hollow spindle fancy yarns: influence of production speed on characteristics: acrylic and polyester *Baoyu, Oxenham* 380
worsted spinning: predicting end breakage rates: new model for end break prediction *Huang, Oxenham, Grosberg* 717
worsted spinning: predicting end breakage rates: measuring dynamic yarn strength and tension *Huang, Oxenham* 619